

Docket No. 202722US2

IN RE APPLICATION OF: Nicolas VOYER

SERIAL NO: 09/778,746

FILED: February 8, 2001

FOR: SYSTEM FOR CONTROLLING THE TRANSMISSION POWER OF A BASE STATION WITH WHICH A
NUMBER OF MOBILE STATIONS ARE IN COMMUNICATION



COMMISSIONER FOR PATENTS
ALEXANDRIA, VIRGINIA 22313

RECEIVED

JUL 26 2004

Technology Center 2600

SIR:

Transmitted herewith is a Supplemental Amendment in the above-identified application.

- ☐ No additional fee is required
- ☐ Small entity status of this application under 37 C.F.R. §1.9 and §1.27 is claimed.
- ☒ Additional documents filed herewith: Request for Extension of Time (2 months)

The Fee has been calculated as shown below:

CLAIMS	CLAIMS REMAINING		HIGHEST NUMBER PREVIOUSLY PAID	NO. EXTRA CLAIMS	RATE	CALCULATIONS
TOTAL	12	MINUS	20	0	x \$18 =	\$0.00
INDEPENDENT	3	MINUS	4	0	x \$86 =	\$0.00
		<input type="checkbox"/> MULTIPLE DEPENDENT CLAIMS			+ \$290 =	\$0.00
		TOTAL OF ABOVE CALCULATIONS				\$0.00
		<input type="checkbox"/> Reduction by 50% for filing by Small Entity				\$0.00
		<input type="checkbox"/> Recordation of Assignment			+ \$40 =	\$0.00
		TOTAL				\$0.00

- ☐ A check in the amount of \$0.00 is attached.
- ☒ Credit card payment form is attached to cover the fees in the amount of \$420.00
- ☒ Please charge any additional Fees for the papers being filed herewith and for which no check or credit card payment is enclosed herewith, or credit any overpayment to deposit Account No. 15-0030. A duplicate copy of this sheet is enclosed.
- ☒ If these papers are not considered timely filed by the Patent and Trademark Office, then a petition is hereby made under 37 C.F.R. §1.136, and any additional fees required under 37 C.F.R. §1.136 for any necessary extension of time may be charged to Deposit Account No. 15-0030. A duplicate copy of this sheet is enclosed.

OBLON, SPIVAK, McCLELLAND,
MAIER & NEUSTADT, P.C.

Eckhard H. Kuesters

Registration No. 28,870

Customer Number

22850

Tel. (703) 413-3000

Fax. (703) 413-2220

(OSMMN 05/03)

I:\USER\MDAVI\20s\202722\AME COV2.DOC

Best Available Copy